

Drawer cabinets

Height **800** x depth **695** mm

Usable height 700 x usable depth 600 mm




Art. no. **84.218.502**
anthracite grey, RAL 7016
light grey, RAL 7035
(excl. partition material)

5 drawers



Width mm	Art. no. 75 kg	Art. no. 200 kg
605	86.456.+++	84.201.+++
805	84.202.+++	84.203.+++
1005	84.204.+++	84.205.+++
1205	84.206.+++	84.207.+++



Code lock on request


Height **1000** x depth **695** mm

Usable height 900 x usable depth 600 mm



Art. no. **84.228.502**
anthracite grey, RAL 7016
light grey, RAL 7035
(excl. partition material)

5 drawers




Width mm	Art. no. 75 kg	Art. no. 200 kg
605	84.208.+++	84.209.+++
805	84.210.+++	84.211.+++
1005	84.212.+++	84.213.+++
1205	84.214.+++	84.215.+++




Art. no. **84.286.501**
dove blue, NCS S 4040-R70 B
light blue, NCS S 1060-R80 B
(excl. partition material)

8 drawers




Width mm	Art. no. 75 kg	Art. no. 200 kg
605	81.833.+++	81.728.+++
805	84.282.+++	84.283.+++
1005	84.284.+++	84.285.+++
1205	84.286.+++	84.287.+++


6 drawers




6 drawers



7 drawers




8 drawers




Width mm	Art. no.		Art. no.		Art. no.		Art. no.	
	75 kg	200 kg	75 kg	200 kg	75 kg	200 kg	75 kg	200 kg
605	84.216.+++	84.217.+++	84.232.+++	84.233.+++	84.248.+++	84.249.+++	84.264.+++	84.265.+++
805	84.218.+++	84.219.+++	84.234.+++	84.235.+++	84.250.+++	84.251.+++	84.266.+++	84.267.+++
1005	84.220.+++	84.221.+++	84.236.+++	84.237.+++	84.252.+++	84.253.+++	84.268.+++	84.269.+++
1205	84.222.+++	84.223.+++	84.238.+++	84.239.+++	84.254.+++	84.255.+++	84.270.+++	84.271.+++


6 drawers




7 drawers



7 drawers




8 drawers




Width mm	Art. no.		Art. no.		Art. no.		Art. no.	
	75 kg	200 kg	75 kg	200 kg	75 kg	200 kg	75 kg	200 kg
605	84.224.+++	84.225.+++	84.240.+++	84.241.+++	84.256.+++	84.257.+++	84.272.+++	84.273.+++
805	84.226.+++	84.227.+++	84.242.+++	84.243.+++	84.258.+++	84.259.+++	84.274.+++	84.275.+++
1005	84.228.+++	84.229.+++	84.244.+++	84.245.+++	84.260.+++	84.261.+++	84.276.+++	84.277.+++
1205	84.230.+++	84.231.+++	84.246.+++	84.247.+++	84.262.+++	84.263.+++	84.278.+++	84.279.+++


8 drawers




8 drawers



8 drawers



9 drawers



Width mm	Art. no.		Art. no.		Art. no.		Art. no.	
	75 kg	200 kg	75 kg	200 kg	75 kg	200 kg	75 kg	200 kg
605	84.296.+++	84.297.+++	84.312.+++	84.313.+++	84.328.+++	84.329.+++	84.344.+++	84.345.+++
805	84.298.+++	84.299.+++	84.314.+++	84.315.+++	84.330.+++	84.331.+++	84.346.+++	84.347.+++
1005	84.300.+++	84.301.+++	84.316.+++	84.317.+++	84.332.+++	84.333.+++	84.348.+++	84.349.+++
1205	84.302.+++	84.303.+++	84.318.+++	84.319.+++	84.334.+++	84.335.+++	84.350.+++	84.351.+++



Drawer cabinets


Height **1000** x depth **695** mm

Usable height 900 x usable depth 600 mm



Art. no. **84.294.502**
anthracite grey, RAL 7016
light grey, RAL 7035
(excl. partition material)

9 drawers



Width mm	Art. no. 75 kg	Art. no. 200 kg
605	84.288.+++	84.289.+++
805	84.290.+++	84.291.+++
1005	84.292.+++	84.293.+++
1205	84.294.+++	84.295.+++


Height **1200** x depth **695** mm

Usable height 1100 x usable depth 600 mm



Art. no. **84.356.501**
dove blue, NCS S 4040-R70 B
light blue, NCS S 1060-R80 B

8 drawers



Width mm	Art. no. 75 kg	Art. no. 200 kg
605	84.356.+++	84.357.+++
805	84.358.+++	84.359.+++
1005	84.360.+++	84.361.+++
1205	84.362.+++	84.363.+++




Code lock on request




Height **1400** x depth **695** mm

Usable height 1300 x usable depth 600 mm

9 drawers



12 drawers




Width mm	Art. no. 75 kg		Art. no. 200 kg	
	Art. no. 75 kg	Art. no. 200 kg	Art. no. 75 kg	Art. no. 200 kg
605	84.364.+++	84.365.+++	84.380.+++	84.381.+++
805	84.366.+++	84.367.+++	84.382.+++	84.383.+++
1005	84.368.+++	84.369.+++	84.384.+++	84.385.+++
1205	84.370.+++	84.371.+++	84.386.+++	84.387.+++

+++ = colour code:
(added to the art. no.)


.501

Housing: Dove blue, NCS S 4040-R70 B
Fronts: Light blue, NCS S 1060-R80 B


9 drawers




10 drawers



12 drawers




18 drawers




Width mm	Art. no.		Art. no.		Art. no.		Art. no.	
	75 kg	200 kg	75 kg	200 kg	75 kg	200 kg	75 kg	
605	84.304.+++	84.305.+++	84.320.+++	84.321.+++	84.336.+++	84.337.+++	84.352.+++	
805	84.306.+++	84.307.+++	84.322.+++	84.323.+++	84.338.+++	84.339.+++	84.353.+++	
1005	84.308.+++	84.309.+++	84.324.+++	84.325.+++	84.340.+++	84.341.+++	84.354.+++	
1205	84.310.+++	84.311.+++	84.326.+++	84.327.+++	84.342.+++	84.343.+++	84.355.+++	


9 drawers



10 drawers




15 drawers




Width mm	Art. no.		Art. no.		Art. no.	
	75 kg	200 kg	75 kg	200 kg	75 kg	200 kg
605	84.372.+++	84.373.+++	84.388.+++	84.389.+++	84.404.+++	84.405.+++
805	84.374.+++	84.375.+++	84.390.+++	84.391.+++	84.406.+++	84.407.+++
1005	84.376.+++	84.377.+++	84.392.+++	84.393.+++	84.408.+++	84.409.+++
1205	84.378.+++	84.379.+++	84.394.+++	84.395.+++	84.410.+++	84.411.+++

Art. no. **84.386.501**
dove blue, NCS S 4040-R70 B
light blue, NCS S 1060-R80 B
(excl. partition material)

13 drawers



17 drawers



Width mm	Art. no.		Art. no.	
	75 kg	200 kg	75 kg	200 kg
605	84.396.+++	84.397.+++	84.412.+++	84.413.+++
805	84.398.+++	84.399.+++	84.414.+++	84.415.+++
1005	86.450.+++	84.401.+++	84.416.+++	84.417.+++
1205	84.402.+++	84.403.+++	84.418.+++	84.419.+++



Single parts for drawer systems



Housing for drawer cabinet

with key lock		Width mm		605	805	1005	1205
Height mm	Depth mm	Usable height mm	Usable depth mm	Art. no.	Art. no.	Art. no.	Art. no.
400	695	300	600	51.194.+++	51.630.+++	51.654.+++	65.751.+++
600	695	500	600	51.195.+++	51.186.+++	65.821.+++	51.691.+++
800	695	700	600	51.207.+++	51.211.+++	51.215.+++	51.219.+++
900	695	800	600	51.573.+++	51.639.+++	51.661.+++	51.697.+++
1000	695	900	600	51.208.+++	51.212.+++	51.216.+++	51.220.+++
1200	695	1100	600	51.209.+++	51.213.+++	51.217.+++	51.221.+++
1400	695	1300	600	51.210.+++	51.214.+++	51.218.+++	51.222.+++

with code lock		Width mm		605	805	1005	1205
Height mm	Depth mm	Usable height mm	Usable depth mm	Art. no.	Art. no.	Art. no.	Art. no.
400	695	300	600	84.126.+++	84.133.+++	84.140.+++	84.147.+++
600	695	500	600	84.127.+++	84.134.+++	84.141.+++	84.148.+++
800	695	700	600	84.128.+++	84.135.+++	84.142.+++	84.149.+++
900	695	800	600	84.129.+++	84.136.+++	84.143.+++	82.610.+++
1000	695	900	600	84.130.+++	84.137.+++	84.144.+++	82.585.+++
1200	695	1100	600	84.131.+++	84.138.+++	84.145.+++	82.586.+++
1400	695	1300	600	84.132.+++	84.139.+++	84.146.+++	82.587.+++

Drawers

		for cabinet width mm		605	805	1005	1205
Load bearing capacity 75 kg		Usable drawer width mm		500	700	900	1100
Front height mm	Usable height mm	Casing height mm		Art. no.	Art. no.	Art. no.	Art. no.
50	33	29		51.240.+++	51.248.+++	51.256.+++	51.264.+++
75	58	49		51.241.+++	51.249.+++	51.257.+++	51.265.+++
100	83	76		51.242.+++	51.250.+++	51.258.+++	51.266.+++
125	108	76		51.243.+++	51.251.+++	51.259.+++	51.267.+++
150	133	126		51.244.+++	51.252.+++	51.260.+++	51.268.+++
200	183	176		51.245.+++	51.253.+++	51.261.+++	51.269.+++
250	233	176		51.246.+++	51.254.+++	51.262.+++	51.270.+++
300	283	276		51.247.+++	51.255.+++	51.263.+++	-

Load bearing capacity 200 kg		Usable height mm	Casing height mm	Art. no.	Art. no.	Art. no.	Art. no.
75	58	49		51.272.+++	51.279.+++	51.286.+++	51.293.+++
100	83	76		51.273.+++	51.280.+++	51.287.+++	51.294.+++
125	108	76		51.274.+++	51.281.+++	51.288.+++	51.295.+++
150	133	126		51.275.+++	51.282.+++	51.289.+++	51.296.+++
200	183	176		51.276.+++	51.283.+++	51.290.+++	51.297.+++
250	233	176		51.277.+++	51.284.+++	51.291.+++	51.298.+++
300	283	276		51.278.+++	51.285.+++	51.292.+++	51.299.+++
400	383	276		-	51.155.+++	51.156.+++	51.157.+++

Installations

Dove grey, painted NCS S 4502-B.		for cabinet width mm		605	805	1005	1205
Specification	Height mm	Load bearing capacity kg		Art. no.	Art. no.	Art. no.	Art. no.
Shelves	25	75		81.917.000	81.918.000	81.919.000	81.920.000
Pull-out shelves	75	75		65.915.000	65.924.000	65.926.000	65.928.000
Pull-out shelves	75	200		65.916.000	65.925.000	65.927.000	65.929.000

+++ = colour code:
(added to the art. no.)



15 standard colours:
see reverse

Add-on elements and superstructures

Specification	for cabinet width mm				
	Height mm	605	805	1005	1205
Hinged door, hinged on the right	350	50.838.+++	50.844.+++	-	-
Hinged door, hinged on the right	500	50.853.+++	50.857.+++	-	-
Hinged door, hinged on the right	700	50.856.+++	50.861.+++	-	-
Hinged door, hinged on the left	350	50.833.+++	50.843.+++	-	-
Hinged door, hinged on the left	500	50.845.+++	50.848.+++	-	-
Hinged door, hinged on the left	700	50.847.+++	50.850.+++	-	-
Insert shelf, dove grey NCS S 4502-B, for cabinets with hinged doors	45	65.981.000	65.912.000	65.913.000	65.914.000
Cover plate multiplex	40	55.848.000	55.849.000	55.850.000	55.851.000
Ribbed rubber	3	51.169.000	51.170.000	51.171.000	51.172.000
Raised edge with ribbed rubber, black NCS S 9000-N	17	65.766.000	65.767.000	65.768.000	65.769.000



Substructures

Specification	for cabinet width mm				
	Height mm	605	805	1005	1205
Base, black NCS S 9000-N.	50	55.926.000	55.927.000	55.928.000	55.929.000
Base, black NCS S 9000-N.	100	55.930.000	55.931.000	55.932.000	55.933.000
Lift truck base with front cover, black NCS S 9000-N	100	52.059.060	52.079.060	52.081.060	52.098.060
Front or rear base cover, black NCS S 9000-N	100	50.582.000	50.586.000	50.609.000	50.618.000

Spare parts for drawer cabinet

Specification	Art. no.
"Ronis" lock, different locking incl. 2 keys	55.948.000
"Ronis" lock, simultaneous locking incl. 2 keys, please input key no. (KT)	55.950.000
"Ronis" replacement key, simultaneous locking, please input key no. (KT)	50.968.000



Accessories for rollboys

Specification	for cabinet width mm		
	Height mm	605	805
Rear workwall, 105 mm deep incl. fixture material	500	50.782.+++	50.784.+++
Raised edge with bumper bracket and ribbed rubber, black NCS S 9000-N	17	51.187.000	51.188.000
Single drawer safety catch (collision protection)		81.894.000	81.894.000
Nylon castor set for soft floors, 2 swivel and 2 fixed castors	∅ 100	51.191.000	51.191.000
Solid rubber castor set for hard floors, 2 swivel and 2 fixed castors	∅ 100	51.192.000	51.192.000

Accessories for a machine cabinet

Specification	for cabinet width mm				
	Height mm	Depth mm	Art. no.	Art. no.	Art. no.
for housing height of 800 mm	670	29	50.577.+++	50.578.+++	51.230.+++
for housing height of 1000 mm	870	29	-	50.735.+++	-



General information on this catalogue:

We reserve the right to make design and product range modifications and ongoing technical improvements. We also reserve the right to amend prices, e.g. due to an increase in material or raw material prices. Upon the release of this catalogue, all catalogues that have previously been published are no longer valid. All items are delivered minus any extras shown for illustration purposes. When placing the order, you are automatically agreeing to our sales, delivery and payment conditions (General Terms and Conditions).

General Terms and Conditions:

The general terms and conditions as well as other up-to-date information are available at www.thurmetall.com. This catalogue is protected by copyright. Reproduction in whole or in part is prohibited without the written permission of the publisher.

Consultation and sales

All products with colour variations are available in **15 standard colours** and **2 colour combinations** at no additional charge.

The three digit colour code is part of the article number (e.g. **.876**). Please always submit the complete article number with your order with the required colour code (e.g. **82.034.876**).

Standard colours:

.875	Light blue, NCS S 1060-R80 B	.966	Traffic yellow, RAL 1023
.010	Light blue, RAL 5012	.240	Flame red, RAL 3000
.876	Dove blue, NCS S 4040-R70 B	.070	Ruby red, RAL 3003
.170	Ultramarine blue, RAL 5002	.110	Pure white, RAL 9010
.210	Brilliant blue, RAL 5007	.020	Light grey, RAL 7035
.220	Turquoise blue, RAL 5018	.080	Dove grey, NCS S 4502-B
.030	Reseda green, RAL 6011	.200	Anthracite grey, RAL 7016
		.060	Black, NCS S 9000-N

Colour combinations:

.501	Housing/frames: Fronts / doors:	Dove blue, NCS S 4040-R70 B Light blue, NCS S 1060-R80 B
.502	Housing/frames: Fronts/doors:	Anthracite grey, RAL 7016 Light grey, RAL 7035

Looking for something unique?
Then simply put together your own combination of two standard colours at no additional charge.
Further colours on request.

THURMETALL

Thur Metall AG

Fabrikstrasse 1 • CH-8586 Erlen
Tel. +41 (0) 71 / 658 65 00
Fax +41 (0) 71 / 658 65 01

www.thurmetall.com
info@thurmetall.com